

Test, Transform, Thrive: Shaping WordPress Together

Dive into Contributing to WordPress and Make a Difference by testing













Evan Mullins @circlecube

evanmullins.com

Evan Mullins uses WordPress daily in his role at Bluehost where he builds WordPress tools for hosting customers and contributes back to WordPress as well as for his own projects (freelance and hobbies).

Evan loves the visual problem-solving aspect of web development and strives to make the web an all-around better place for you & your grandma.

bluehost



Contributing by Testing

Learn all about contributing to WordPress by testing it!

Explore the ways you can contribute today.

Follow Along: <u>evanmullins.com/test</u>



Who Can Test?

You can!

Even if you have not yet contributed to WordPress and feel under-qualified.

It might seem like a small contribution but it helps move the project along.

All are invited and welcome to help test on any level you can.



You Can Test WordPress!

Testing WordPress is a valuable contribution that anyone can make!

Contributions from users like you keep open source projects alive and moving.



Contribution History



Opportunities to Test WordPress

- 1. Test Releases
- 2. Test Tickets/Issues
- 3. Usability Tests
- 4. Automated Tests
- 5. Accessibility Tests





Release Cycle Testing



Test WordPress Releases

Before every release of WordPress, pre-release versions are created.

These are called **Beta** releases or **Release Candidate** releases.

Download these pre-releases and test them before they are available to the public.

The pre-release step in the Release Cycle usually lasts several weeks at least and details of the schedule are published on the <u>make.wordpress.org</u> blog.

For example, 6.7 Beta 1 is expected on October 1, 2024, RC1 is expected October 22, and the final 6.7 release is expected November 12.

Beta Tester Plugin

BETA	WordPress Beta Tester Allows you to easily upgrade for testing the next versions of WordPress. By WordPress Upgrade/Install Team	Install Now More Details				
★ ★ ★ ☆ (43)Last Updated: 2 months ago2,000+ Active Installations✓ Compatible with your version of WordPress						

WP Beta Tester Settings

Extra Settings Report a Bug

Core Settings

By their nature, these releases are unstable and should not be used anyplace where your data is important. So please <u>back up your database</u> before upgrading to a test release. In order to hear about the latest beta releases, your best bet is to watch the <u>development blog</u> and the <u>beta forum</u>.

Thank you for helping test WordPress. Please report any bugs you find.

By default, your WordPress installation uses the stable update channel. To return to this, please deactivate this plugin and re-install from the <u>WordPress Updates</u> page.

Currently your site is set to update to version 6.6.2, 6.7-beta1, 6.7-RC1, or 6.7, whichever is released first.

Select the update channel you would like this website to use:

Save after switching

○ Point release	This contains the work that is occurring on a branch in preparation for a 6.6.2 point release. This should also be fairly stable but will be available before the branch is ready for release.				
Bleeding edge	This is the bleeding edge development code from `trunk` which may be unstable at times. <i>Only use this if you really know what you are doing.</i>				
Select one of the stream options below:					
O Nightlies	Latest daily updates.				

Beta/RC Only
 This is for the Beta/RC releases only of the selected channel.

O Release Candidates Only This is for the Release Candidate releases only of the selected channel.

Save Changes

<test-scrub> Meetings in #core-test

Contributors come together to go through a list of tickets and help move each one towards resolution. Determining the next step needed and update the ticket.

If a ticket captures your interest, go ahead and join the discussion in the comments on the ticket after the scrub.

A test scrub is a great way to find tickets where you can team up with other contributors to work together later on reproducing issues, giving feedback, adding test reports, verify the feature is working as intended.



The WordPress project uses Slack as its main real-time communication platform, replacing previous communication platforms such as IRC. When compiling a list of things people liked about our previous communication methods, it was obvious that Slack was all of that and more, including:

- Open for everyone
- Friendly user interface
- Easy asynchronous conversation
- iOS and Android apps
- Powerful customization abilities
- Excellent search

WordPress historically used IRC for its real-time communication, and is still where the real-time #wordpress support channel exists. Slack communication is used for *contributing* to the WordPress project, be it code, design, documentation, etc.





Ankit K Gupta APP 7:03 AM @here Hey folks! Please join us in #core-test for WordPress 6.7 Test Scrub Session! Session!



ankit-k-gupta 7:07 AM

Just to clarify, as mentioned in the <u>Test Scrub Schedule for</u> <u>WordPress 6.7</u>, we're all here today to focus on the Test Scrub for WordPress 6.7-related tickets.



ankit-k-gupta 7:08 AM

Who is joining us today? Please say hello, and share a flag or your favorite emoji! Also, please note your <u>WordPress.org</u> profile username.

Feel welcome to introduce yourself briefly and share your region (in the thread)

2 replies Last reply 10 days ago

Sumit Bagthariya 7:11 AM



Release Party Testing



Release Party Testing

During each release, a build is available to test in real-time just before the release is public.

Release parties are held in the official WordPress slack (#core).



The slack team is open and free to join with a wordpress.org account.







core ~ WordPress CORE development only. NOT for su... Meher Bala 12:27 PM

Tuesday, July 16th ~

Canvas

NEW

包

Q

S (2) A

It's testing time!

There are 2 ways to help test the package:

- 1. Use WP-CLI to test: wp core update https://wordpress.org/wordpress-6.6.zip
- 2. Directly download the Beta/RC version (e.g., https://wordpress.org/wordpress-6.6.zip)

Tips On What to Test

In particular, testing the following types of installs and updates would be much appreciated:

- WordPress install works correctly for manual install processes, as well as WP-CLI or one-click installers.
- Test upgrading from 4.0.38, 4.9.22, 5.8.6, 5.9.5, 6.0.3, 6.1.3, 6.2.2, and 6.3, 6.4, 6.5, 6.6-RC4, as well as any other versions possible.
- Remove the wp-config.php file and test a fresh install.
- Test single site and multisite/network (both subdirectory and subdomain) installations.
- Does it upgrade correctly? Are the files listed in \$ old files removed when you upgrade?
- Does multisite upgrade properly?

You can report back by sharing how you tested and what the result was with an emoji. For example: 6.5 > 6.6 via beta tester

If it works, add 🗸 If any issues happen, add 🛑 so we can investigate.



Release Party Testing

WP-CLI Command:

wp core update https://wordpress.org/wordpress-X.Z.zip

Or you can use the WordPress Beta Tester Plugin, once the release party begins the testing phase it will find the available update.

More Slack





<new-contributor-meeting> in #core

Open meeting to ask questions about submitting patches, working with Trac, deciding which tickets to work on, or contributing to core in general. (Every month on the 2nd, 4th Wednesday)

Slack is a super useful tool to interact with the WordPress community learn how to better contribute.





jamesroberts APP 3:00 PM @here <new-contributor-meeting> Hello everyone! Who's around for the new contributor meeting?





James Roberts 3:02 PM Welcome everyone!

A 🖓 5 😅

We usually start with some general news/announcements, and do an open floor section for general questions for the first 20-30 minutes. We then switch to questions on specific tickets for the remainder of the meeting. We usually end 10-15 minutes before the top of the hour to leave a little breathing room for the weekly dev chat.

@desrosj, @flixos90, @adamsilverstein, @welcher, @audrasjb,
@costdev, @kirasong, @OGlekler, @sergey, and myself are facilitators
for these meetings. If you have any questions after the meeting, or
anything that you are uncomfortable asking here, you are more than
welcome to ping us throughout the week.

If you have any feedback or ideas on making these meetings more helpful, please do suggest 🙂

If anyone has questions about submitting patches, working with Trac, deciding which tickets to work on, or contributing to core in general, please feel free to ask.

Just in case any new contributors are looking for some bugs to fix, this handbook section suggests some ideas:

https://make.wordpress.org/core/handbook/contribute/fixingbugs/#finding-bugs-to-fix

Generally, I would recommend looking at the list of "good first bugs" to get started: <u>https://core.trac.wordpress.org/tickets/good-first-bugs</u>

And here is a similar list of "good first issues" for Gutenberg: <u>https://github.com/WordPress/gutenberg/contribute</u>

These are well-contained tasks designed to help you get familiar with WordPress core code, processes, and contributing, and not send you down a rabbit hole

If nothing catches your eye on the "good first bugs" list, I would suggest looking at the tickets marked as needs-patch, needs-testing, needsdesign, or needs-design-feedback in the current milestone: https://core.trac.wordpress.org/query?status=!closed&keywords=~goodfirst-bug&keywords=~needs-patch&keywords=~needstesting&keywords=~needs-design&keywords=~needs-designfeedback&group=milestone&order=priority

And here you can find all tickets currently slated for the next major release: <u>https://core.trac.wordpress.org/tickets/major/workflow</u>



Testing Bug Fixes

With every bug or issue that is reported in WordPress, we have the opportunity to:

- 1. reproduce the issue
- 2. test that a patch fixes the issue
- 3. that it doesn't cause other issues.





Bug Ticket Lifecycle/Workflow

- 1. User finds a bug and submits it.
- 2. Bug confirmed/reproduced.
- 3. Developer submits code changes (patch/PR).
- 4. Users test the patch confirming it fixes the bug.
- 5. A core committer applies the patch to the core code.
- 6. Bug ticket is closed/fixed.
- 7. Next release will include code changes.
- 8. Everyone involved receives credit/props for contributing to WordPress.



Paths: Core/Trac OR Gutenberg/GitHub

News Showcase Hosting Extend ~ Learn ~ Community ~ About ~ O Get WordPress Showcase Hosting Extend ~ Learn ~ Community ~ About ~ O Get WordPress Handbook Handbook Tickets Components O If Make WordPress Core Blog Handbook Tickets Components O If Search Search Search Search Search Search Search	 Code O Issues 5k+ gutenberg Public 	nberg Q Type [] to s 가 Pull requests 1.2k 및 Discuss 父 Edit Pins ~ (earch sions ⊙ Actions ⊙ Watch 351 ↓	Fork 4.1k
New Ticket	ξ² trunk τ ξ² ⊙	Q Go to file (t)	+ <> Code 、	About
Trac is the place to follow along with the development of WordPress. You can view recent code changes Create a new detection of this site.	3 people Double click b	lock 🚥 🗸 fae4d1b · 1 hour ago	🕚 33,347 Commits	The Block Editor project for Wor
If you are looking to submit a bug report, please 🕞 head on over.	Cache .cache	Run PHPUnit jobs across multip	last year	official repository.
You will automatically receive notifications for tickets you have reported or participation of WordPress locally.	.github	task: Remove dcalhoun code o	last week	
You can browse the source of WordPress here, but you probably also want to the install a development version en	.husky	Tools: Husky upgrade and git ig	3 years ago	wordpress wordpress-plugin
Security Issues	backport at	Replaces usages of workspace	3 years ago	Readme
If you have encountered a security issue that isn't addressed in a released version of WordPress, please report to a security FAQ in the handbook.	bin bin	Relocate backport files for grid	2 days ago	述 View license
HackerOne program. For more, see our enseeding	doce	JSON Schema Docgen Rework	2 months ago	Code of conduct
Contributing		Fix wrong code snippets in API	4 days ago	 ✓ Activity
There are many ways to contribute to WordPress. We have a declared		Add new zoom out experiment	7 hours ago	Custom properties
If you want to get started quickly, test a path, or good and a some tickets that could use them. and JS 🗈 unit tests — and if you like writing unit tests, there are some tickets that could use them.		Double click block to exit zoom	1 hour ago	 351 watching
There are a lot of resources in the handbook, including sections on 🖼 reporting bugs and a material section of the section of		Upgrade postcss-urlrebase pa	2 months ago	ঔ 4.1k forks
create patches, and not c		Media & Text: don't use backgr	6 hours ago	Report repository
Follow the FIRENOSE		Dependencies: Upgrades and d	3 months ago	Releases 519
There is also an RSS feed and an 🖙 maining inst to rough archably just subscribe to the individual tickets that you're interested	schemas	WD-envison achaese Et		

Introducing Trac



Trac

WordPress uses Trac, an open source bug tracker tool.

Tickets are used for both bug reports and feature development.

Tickets may be created by anyone with a WordPress.org account.



Ø	News Showcase Hosting Extend 🗸 L	.earn 🛩 Cor	nmunity 🗸 About 🗸					ር Get Get	WordPress
	Make WordPress	Core		Blog	Handb	ook Tickets logged in as circ	Components lecube Notificat	<> 🕙 Ґ tions Logout	
	New Ticket							Search	
							Nev	w Custom Query	
	{22} Active Tickets (192 matches	5)							
Yeste	Sort by modified Accepted tickets have an '*' apperent of the second s	ended to their o	Component Posts, Post Types	Priority	Severity	Milestone Future Release	Create a r	Workflow	Modified 08/30/2024
	front page"								
61754	Unused array_merge call?		Script Loader	normal	normal	6.7	defect (bug)	has-patch	08/30/2024
61608	Docblock improvements for WP 6.7		General	normal	normal	6.7	task (blessed)	has-patch	08/30/2024
61847	Auto Sizes for Lazy-loaded Images	mukesh27	Media	normal	normal	6.7	enhancement	has-patch	08/30/2024
61958	Rename 'wp_should_load_separate_core_block_assets()' to clarify its purpose	flixos90	Editor	normal	normal	6.7	enhancement	dev-feedback	08/30/2024
61965	Provide a way for classic themes to use `wp-block- library` even when loading block assets only for blocks that actually render on a page		General	normal	normal	Awaiting Review	enhancement		08/30/2024
60892	About Page: 'text-wrap: balance;'adds unintended new lines in Japaneese		Help/About	normal	normal	6.6.2	defect (bug)	has-patch	08/30/2024
40958	force_balance_tags breaks Ninjaforms and		Shortcodes	normal	normal	Awaiting Review	defect (bug)		08/30/2024
	probably other plugins that output html within js.								

↔ Make WordPres	ss Core	Blog Handbook Tickets Components <> 🕥 🎽 logged in as circlecube Notifications Logout
New Ticket		Search
Trac Ticket Reports		×
O Latest Tickets 🛛 🕹 Active	Tickets 🛛 Trac Timeline	☑ Ticket Graphs ↔ Browse Source 💲 Milestones
Me Create a Ticket My Tickets by Release	y Tickets 📑 My Patches	Tickets I've Participated In Tickets I'm Watching
Next Major Release (6.7)	日 Next Minor Release	Future Releases
Grouped by workflow	Grouped by workflow	Ef Grouped by workflow
Tickets by Topic Tickets by Component Select a component	Tickets by Focus Select a focus	Design your own query



Ticket Graph Last 90 days

by Component: All Tickets



You can search for existing tickets here. For more help, please see the contributor handbook.

	· ·		
Summary:			\sim
Description:	B I A & ↔ php - ¶ ← 🖬	You may use WikiFormatting here.	
			\frown
Туре:	defect (bug)	Severity: normal V	
Version:	~	Component: General ~	/
Workflow Keywords:	- Add - V Manual	Contributor Focuses:	
		ui accessibility javascript css docs	
		rtl admin template multisite rest-api	
		performance privacy sustainability	
		ui-copy coding-standards php-compatibility	
Action			
• create The status w	ill be 'new'.		$\left(\right)$
⊖ assign to < default	> The owner will be the specified user.		
🗌 l have files to atta	ach to this ticket		
Preview Create	e ticket		

Workflow Keywords

- good-first-bug
- has-patch
- needs-patch
- needs-screenshots
- needs-unit-tests
- has-unit-tests
- has-screenshots
- dev-feedback
- dev-reviewed
- needs-testing
- reporter-feedback

✓ - Add has-patch needs-patch needs-refresh changes-requested reporter-feedback dev-feedback 2nd-opinion close needs-testing has-testing-info needs-testing-info needs-design needs-design-feedback has-unit-tests needs-unit-tests

neeas-aesign needs-design-feedback has-unit-tests needs-unit-tests has-dev-note needs-dev-note add-to-field-guide has-privacy-review needs-privacy-review has-copy-review needs-copy-review needs-docs needs-user-docs has-screenshots needs-screenshots

Best Practices

Make sure you are on the latest version of WordPress. To avoid duplicate tickets search for any existing ticket for this issue already.

When submitting a new issue, include:

- a detailed description of the issue
- steps to reproduce the issue consistently
- describe the expected vs actual results
- attach screenshots
- any additional information that could be useful:
 Operating System/browser and version/server details/PHP version


- · Are you using either the latest version of WordPress, or the latest development version? If not, please update first.
- What steps should be taken to consistently reproduce the problem?



You can search for existing tickets here. For more help, please see the contributor handbook.

Summary:	X does not Y whe	en using Z						
Description:	BIAS	> <> php — ¶ ← 🖬			Ye	ou may use	WikiFormatting	here
	When using Z, X C. To reproduce: 1. Step 1 2. Step 2 3. Step 3 4. Step 4	does not Y. Instead, it does A, ar	nd B. Becau	se this is	an une	xpected out	tcome, this caus	BS
	I've verified this i	ssue on a fresh ins	ith all	plugins o	lisabled	l.		
Milestone:	Awaiting Review	0	Pric	ority: =		0		
Type:	defect (bug)	3	Seve	erity: n	ormal 👔	9		
Version:	5.6		Compor	nent: N	ledia		0	
Workflow Keywords:	- Add -	Manual	Focuses	5		*		
			uia	ccessibility	java	script css	docs	
			rtia	dmin te	emplate	multisite	rest-api	
			perform	ance p	orivacy	ui-copy		
			coding-	standards				
Action								
create The status w	ill be 'new'.							
assign to < default	>	The owner will be the specified user						
I have files to atta	ach to this ticket							
Preview Create	e ticket							
# new defect (h	110						(ticket not yet creat	ed)

Tickets

The goal: participate in a constructive dialog to resolve the issue.

You can contribute at any state, but pay close attention to workflow keywords:

- **needs-screenshots** can you reproduce the issue and add screenshots?
- needs-testing indicates the ticket is looking for testers
- has-patch test the patch to ensure it fixes the issue

Gutenberg - Block Editor



GitHub Issues

While core WordPress issues are tracked in Trac, since the block and site editor are both still part of the Gutenberg feature plugin, issues related to this part of WordPress are managed in the gutenberg github project.

Create Gutenberg issues on the project's GitHub issue tracker.

The ticket flow is essentially the same, but the issue is reported and fixed on github rather than trac.

WordPress / gutenberg Code Issues 5k+ \$12	Q Type [] to search + → ○ 11 6 C Q Discussions • Actions ⊞ Projects 15 ① Security ∠ Insights	
Phase 3: Collaboration index #61162 opened on Apr 26 by priethor Open	Block API #41236 opened on May 23, 2022 by gziolo ⊙ Open	
Filters - Q is:issue is:open	© Labels 343 中 Milestones 1 New i	vissue
 5,987 Open 22,107 Closed [Block Bindings] Human readable label for #65066 opened 5 hours ago by dannyreaktiv 	Author + Label + Projects + Milestones + Assignee + So Meta fields [Feature] Block bindings [Type] Enhancement	Sort -
 5,987 Open < 22,107 Closed [Block Bindings] Human readable label for #65066 opened 5 hours ago by dannyreaktiv Style Book: iframe brings an additional tal #65065 opened 5 hours ago by clampo Site Editor: Inserter is confusing when edi #65063 opened 6 hours ago by talldan Q 2 tasks done 	Author - Label - Projects - Milestones - Assignee - Si Meta fields [Feature] Block bindings [Type] Enhancement o stop in between tablist and tabpanel Global Styles [Type] Bug ting pages [Feature] Site Editor [Type] Bug	Sort -
 5,987 Open < 22,107 Closed [Block Bindings] Human readable label for #65066 opened 5 hours ago by dannyreaktiv Style Book: iframe brings an additional tal #65065 opened 5 hours ago by ciampo Site Editor: Inserter is confusing when edi #65063 opened 6 hours ago by talldan 2 tasks done Typing in an RTL language incosisten if th #65061 opened 7 hours ago by gikaragia 2 tasks done 	Author + Label + Projects + Milestones + Assignee + Si Meta fields [Feature] Block bindings [Type] Enhancement o stop in between tablist and tabpanel @lobal Styles [Type] Bug ting pages [Feature] Site Editor [Type] Bug e syte language is LTR [Type] Bug ne	Sort -
 5,987 Open < 22,107 Closed [Block Bindings] Human readable label for #65066 opened 5 hours ago by dannyreaktiv Style Book: iframe brings an additional tal #65065 opened 5 hours ago by ciampo Site Editor: Inserter is confusing when edi #65063 opened 6 hours ago by talldan Q 2 tasks done Typing in an RTL language incosisten if th #65061 opened 7 hours ago by gikaragia Q 2 tasks done Pattern Overrides: Refactor block toolbar #65058 opened 7 hours ago by talldan [] 3 tasks 	Author - Label - Projects - Milestones - Assignee - Si Meta fields [Feature] Block bindings [Type] Enhancement Image: Stop in between tablist and tabpanel Global Styles [Type] Bug Image: Stop in between tablist and tabpanel Global Styles [Type] Bug Image: Stop in between tablist and tabpanel Global Styles [Type] Bug Image: Stop in between tablist and tabpanel Global Styles [Type] Bug Image: Stop in between tablist and tabpanel Global Styles [Type] Bug Image: Stop in between tablist and tabpanel Global Styles [Type] Bug Image: Stop in between tablist and tabpanel Global Styles [Type] Bug Image: Stop in between tablist and tabpanel Global Styles [Type] Bug Image: Stop in between tablist and tabpanel [Styles [Type] Bug Image: Stop in between tablist and tabpanel [Styles [Type] Bug Image: Stop in between tablist and tabpanel [Styles [Type] Bug Image: Stop in between tablist and tabpanel [Styles [Type] Bug Image: Stop in between tablist and tabpanel [Styles [Type] Bug Image: Stop in between tablist and tabpanel [Styles [Type] Bug Image: Stop in between tablist and tabpanel [Styles [Type] [Type] Stop in a stop in between tablist and tabpanel [Styles [Type] Bug Image: Stop in a stop i	Sort •

GitHub Pull Requests

The equivalent of a Patch in git is a Pull Request.



WordPress / gutenberg Type [] to search Code Issues Issues Ske I Pull requests 1.220 Open 3.4,929 Closed Author - Label - Projects Si Security Milestones New pull request 1.1,220 Open 3.4,929 Closed Author - Label - Projects Milestones - Reviews - Assignee - Sort - P Bibles Open of 34,929 Closed Author - Label - Projects - Milestones - Reviews - Assignee - Sort - P Bible P P Bible Projects - Milestones - Reviews - Reviews - Assignee - Sort - P P <				
Code Issues Six 1 Pull requests 1.2k Discussions Actions Projects Security Insights Filters + Q ispristopen Filters + Q ispristopen Q labels 343 Milestones New pull request 11 1,220 Open ✓ 34,929 Closed Author - Label - Projects - Milestones - Reviews - Assignee - Sort - 12 Add props for buttons in editor 1 × First-time Contributor P9 #65068 opened 4 hours ago by AKSHAT2802 - Review required P9 12 Ouery Loop: Add check for current post type ✓ (Block) Query Loop) (Type) But #65067 opened 5 hours ago by streat - Draft Q 13 Build: Prepare build for more script modules × (Feature) Script Modules AP Q #65067 opened 6 hours ago by streat - Draft Q 14 Add: Typography styling support to the navigation submenu block. × (Block) Navigation Menus O1 17 Nyel Bhancement Q #65068 opened 8 hours ago by SantosGuillamet - Draft 18 Add: Typography styling support to the navigation submenu block. × (Block) Navigation Menus O1 19 Bump ruby/setup-ruby from 1.190.0 to 1.191.0 in the github-actions group ✓ (Block Ballogs) Q #65068 opened 8 hours ago by dependable (bot') - Review required 11 Both CE Citicn: Improve the Select/Navigation mode and keep it persistent × (Peakage) Block editor #65068 opened 8 hours ago by youknowniad - Draft	WordPress / gutenberg	Q Type [] to search	+ • 🕥 [1]	
Filters • Q. iszpr iszopen Labels 343 Milestones 1 New pull request I1 1,220 Open < 34,929 Closed Author + Label + Projects + Milestones + Reviews + Assignee + Sort + I1 1,220 Open < 34,929 Closed Author + Label + Projects + Milestones + Reviews + Assignee + Sort + I2 Ouery Loop: Add check for current post type < (Block I Ouery Loop) (Type) Burg 9 I2 Ouery Loop: Add check for current post type < (Block I Ouery Loop) (Type) Burg 9 I2 Ouery Loop: Add check for current post type < (Block I Ouery Loop) (Type) Burg 9 I2 Buld: Prepare build for more script modules × [Feature] Script Modules API - I4 Burg Projects - with inherited post type from template slug < [Feature] Block bindings 3 [Type] Enhancement 01 1 I2 Add: Typography styling support to the navigation submenu block. × (Block Navigation Menus) 01 1 I5 Burg ruby/setup-ruby from 1.190.0 to 1.191.0 in the github-actions group < (Ithub Actions [Type] Build Toolling #65060 opened 8 hours ago by jorgefilipecosta - Review required I3 Burg ruby/setup-ruby from 1.190.0 to 1.191.0 in the github-actions group < (Ithub Actions [Type] Build Toolling #65060 opened 8 hours ago by dependato (bit) - Review required I3 Burg ruby/setup-ruby from 1.190.0 to 1.191.0 in the github-actions group < (Ithub Actions [Type] Build Toolling #65060 opened 8 hours ago by dependato (bit) - Review required I3 Burg ruby/setup-ruby from 1.190.0 to 1.191.0 in the github-actions group < (Ithub Actions [Type] Build Toolling #65060 opened 8 hours ago by dependato (bit) - Review required	Code 🕑 Issues 5k+ 13 Pull requests 1.2k 🖓 Discussions 🕑 Actions	🗄 Projects 15 🕕 Security 🗠 Insights	3	
11 1,220 Open < 34,929 Closed	ilters - Q is:pris:open	S Labels 343 ♀ Mi	lestones 1 New pu	Il request
11 Add props for buttons in editor 1 × First-time Contributor 12 Add props for buttons in editor 1 × First-time Contributor 13 Add props for buttons in editor 1 × First-time Contributor 14 Query Loop: Add check for current post type ~ (Elock) Query Loop [Type] Bup 15 Build: Prepare build for more script modules × [Peature] Script Modules AP] 16 Build: Prepare build for more script modules × [Peature] Script Modules AP] 17 Try: Populate block context with inherited post type from template slug ~ [Feature] Block bindings 17 Try: Populate block context with inherited post type from template slug ~ [Feature] Block bindings 17 Try: Populate block context with inherited post type from template slug ~ [Feature] Block bindings 17 Try: Populate block context with inherited post type from template slug ~ [Feature] Block bindings 17 Try: Populate block context with inherited post type from template slug ~ [Feature] Block bindings 17 Try: Populate block context with inherited post type from template slug ~ [Feature] Block bindings 17 Try: Populate block context with inherited post type from template slug ~ [Feature] Block Bindings 18 Add: Typography styling support to the navigation submenu block. × [Ellock] Navigation [Feature] Navigation Menus 19 Add: Typography styling support to the navigation submenu block. × [Ellock] Navigation [Type] Build Tooling #65056 opened 7 hours ago by jergeflipecosta - Review required 11 Buck Editor: Improve the Select/Navigation mode and keep it persistent × [Package] Block Editor 17 #65055 opene	1,220 Open 🗸 34,929 Closed Author	▼ Label ▼ Projects ▼ Milestones ▼ F	Reviews - Assignee -	Sort -
1: Query Loop: Add check for current post type < (Block) Query Loop (Type) Bus	Add props for buttons in editor 1 × First-time Contributor #65068 opened 4 hours ago by AKSHAT2802 • Review required			Ç 9
1: Build: Prepare build for more script modules × (Feature) Script Modules AP) 4 #65064 opened 5 hours ago by sirreal - Draft 3 1: Try: Populate block context with inherited post type from template slug < (Feature) Block bindings	I : Query Loop: Add check for current post type < [Block] Query Loop (Type] Bu #65067 opened 5 hours ago by mikachan · Draft	lg la	*	Ç 2
1: Try: Populate block context with inherited post type from template slug < [Feature] Block bindings	Build: Prepare build for more script modules × [Feature] Script Modules AP] #65064 opened 5 hours ago by sirreal • Draft			Ç 4
1 Add: Typography styling support to the navigation submenu block. × [Block] Navigation [Feature] Navigation Menus ① 1 □ 1 [Type] Bug #65060 opened 7 hours ago by jorgefilipecosta - Review required ① 1 □ 1 1 Bump ruby/setup-ruby from 1.190.0 to 1.191.0 in the github-actions group < GitHub Actions [Type] Build Tooling #65056 opened 8 hours ago by dependabot [bot] - Review required ○ 1 □ 6 1 Block Editor: Improve the Select/Navigation mode and keep it persistent × [Package] Block editor [Type] Enhancement #65055 opened 8 hours ago by youknowriad - Draft □ 6	Try: Populate block context with inherited post type from template slug [Type] Enhancement #65062 opened 6 hours ago by SantosGuillamot • Draft	[Feature] Block bindings		Ç 3
11 Bump ruby/setup-ruby from 1.190.0 to 1.191.0 in the github-actions group < GitHub Actions [Type] Build Tooling	Add: Typography styling support to the navigation submenu block. × (Bite (Type) Bug #65060 opened 7 hours ago by jorgefilipecosta • Review required	ock] Navigation (Feature) Navigation Menus	⊙ 1	D 1
\$ is Block Editor: Improve the Select/Navigation mode and keep it persistent × (Package) Block editor [Type] Enhancement #65055 opened 8 hours ago by youknowriad • Draft	Bump ruby/setup-ruby from 1.190.0 to 1.191.0 in the github-actions group #65056 opened 8 hours ago by dependabot (bot) • Review required	GitHub Actions [Type] Build Tooling		
	Block Editor: Improve the Select/Navigation mode and keep it persistent > [Type] Enhancement #65055 oppaged & hours are by youkpowriad - Draft	(Package] Block editor	9	G

Ticket Walkthrough



Reporting an Issue

- A user (Issue Reporter) finds a bug in WordPress core
 - (not a theme or a plugin, and not a support request)
- Confirm it is not yet reported
- Submits a bug report to Trac

Reporter involvement doesn't end after submitting the ticket. Others may request more information with the reporter-feedback keyword.

Reporters can also help verify that proposed patches fix the bug.

I have files to attach to this ticket

Preview

Create ticket

# new defect (b	ug)		(ticket not yet created)
X does not Y w	hen using Z		
Reported by:	desrosjbot	Owned by:	
Priority:	normal	Milestone:	Awaiting Review
Component:	Media	Version:	5.6
Severity:	normal	Keywords:	needs-unit-tests
		Focuses:	docs
Description			
When using Z, X doo To reproduce:	es not Y. Instead, it does A, an	d B. Because this is an unexpe	ected outcome, this causes C.
2. Step 2			
3. Step 3 4. Step 4			
I've verified this issu	e on a fresh install of WordPr	ress with all plugins disabled.	

Note: See TracTickets for help on using tickets.

r	Media Libra	ary: Clicking the e	edges of the mee	dia does not sel	ect, it only focuses th	ne li.
	Reported by:	circlecube		Owned by:	adamsilverstein	-
	Milestone:	4.9		Priority:	normal	
	Severity:	normal		Version:	4.8	
nsert Media		Insert Media	а			×
reate Gallery		Upload Files M	edia Library			
eatured Image		All media items \$	All dates 🛊	Search media	ATTACHMENT	T DETAILS
isert from URL		300×300	300×300) 300×3	✓ 00 300×3	300x300.png April 26, 2017 3 KB 300 × 300 Edit Image Delete Permanently
					URL	http://local.plugins.com/w
					Title	300x300

Reproducing Issues

See if you can reproduce issues reported in tickets.

If you can, elaborate on the issue, write clear steps to reproduce and add screenshots.

If you can't, ask for more information and add the reporter-feedback keyword to let the reporter know too.



#61940 new defect (bug)

Opened 21 hours ago Last modified 9 hours ago

`upgrader_process_complete` runs when no plugins selected to upgrade



This is problematic where we are listening to the upgrader_process_complete.

Patch

Those who can code, can submit fixes for bugs that have been reported.

This process is also known as "patching"

Patches on a ticket are either a submitted file that shows the code changes or a pull request to the github mirror.



Testing a Patch

Testing patches is an important part of ensuring the quality of WordPress.

Steps:

- 1. WordPress Environment
- 2. Reproduce the issue
- 3. Apply the patch
- 4. Perform Testing: try to reproduce the issue again
- 5. Give feedback on the ticket

Environment

There are multiple ways to set up a local core WordPress environment for testing (and development). Find one that fits you.

There are some tools that make this fairly simple: **wp-env**, *Local*.

Or simply use **<u>Playground</u>**.

Testing Patches in Playground





WordPress in one click

WordPress Playground is the platform that lets you run WordPress instantly on any device without a host. It's your place to build, experiment, test, and grow.

Explore Playground

Start exploring instantly

Build



Testing in Playground

<u>WordPress Playground</u> is a project that creates a full WordPress instance entirely within the browser. "WordPress in one click!"

A really good fit for someone that isn't super technical, experienced with programming, or comfortable applying patches to code locally on their own computer.

To test using playground instance:

- If in Trac, follow the View PR button to the PR on github.
- On the PR, find the "**Test Using WordPress Playground**" comment.
- Click the "<u>Test this pull request with WordPress Playground</u>" link!

```
Attachments (9)
```

- Screenshot 2020-10-16 at 11.10.57.png 🐺 (33.9 KB) added by *johnbillion* 4 years ago.
- Screenshot 2020-10-16 at 11.11.26.png 🐺 (25.3 KB) added by *johnbillion* 4 years ago.
- 51551.patch
 (429 bytes) added by opurockey 4 years ago.
 Apply patch
- 51551.1.patch I (429 bytes) added by opurockey 4 years ago.

```
Apply patch
```

- admin-menu.png **Ţ** (44.1 KB) added by *ryelle* 3 years ago.
- 51551.2.diff **♀** (379 bytes) added by *kurudrive* 3 years ago.
- 51551_1_ss.png I (364.7 KB) added by kurudrive 3 years ago.
- 51551.3.diff **Q** (362 bytes) added by kurudrive 3 years ago.
- admin-menu- 51551-3-diff.mov Ţ (802.4 KB) added by *kurudrive* 3 years ago.

```
Attach another file
```

Download all attachments as: .zip

```
▼ Pull Requests (2)
```





Test using WordPress Playground

The changes in this pull request can previewed and tested using a WordPress Playground instance.

WordPress Playground is an experimental project that creates a full WordPress instance entirely within the browser.

Some things to be aware of

- The Plugin and Theme Directories cannot be accessed within Playground.
- All changes will be lost when closing a tab with a Playground instance.
- All changes will be lost when refreshing the page.
- A fresh instance is created each time the link below is clicked.
- Every time this pull request is updated, a new ZIP file containing all changes is created. If changes are not reflected in the Playground instance,

it's possible that the most recent build failed, or has not completed. Check the list of workflow runs to be sure.

For more details about these limitations and more, check out the <u>Limitations page</u> in the WordPress Playground documentation.

Test this pull request with WordPress Playground.

 \odot









new

C? GitHub

ured

Design everything on your site – from the header down to the

Testing Patches Locally



.diff files



To link a Pull Request to this ticket, create a new Pull Request in the WordPress GitHub mirror and include this ticket's URL in the description.

WordPress Git-ified

WordPress GitHub mirror

For developers who prefer using git for version control.



Patch via Pull Request (PR)





- Screenshot 2020-10-16 at 11.11.26.png 🐺 (25.3 KB) added by *johnbillion* 4 years ago.
- 51551.patch T (429 bytes) added by opurockey 4 years ago.

Apply patch

- <u>51551.1.patch</u> (429 bytes) added by *opurockey* 4 years ago.
 Apply patch
- admin-menu.png 🐺 (44.1 KB) added by *ryelle* 3 years ago.
- 51551.2.diff 🐺 (379 bytes) added by *kurudrive* 3 years ago.
- 51551_1_ss.png (364.7 KB) added by kurudrive 3 years ago.
- 51551.3.diff I (362 bytes) added by kurudrive 3 years ago.
- admin-menu- 51551-3-diff.mov 🐺 (802.4 KB) added by *kurudrive* 3 years ago.

Attach another file	Download all attachments as: .zip		
▼ Pull Requests (2)			
#685 51551 Unclickable area within admi by @colinduwe	Closed +17 -1	View patch	View PR
#1629 remove the cursor pointer rule for by @circlecube	Closed +0 -1	View patch	View PR

Apply .diff for testing

Apply a patch to your local working copy with grunt commands.

Download the diff file from trac ticket and apply with a grunt command.

grunt patch

If multiple files are found, you'll be asked which one to apply.

Apply .diff for testing

Add the ticket number to have grunt download the diff file too:

grunt patch:00000

Or a link to the ticket:

grunt patch:<https://trac.../ticket/00000>

Or a link to the diff file:

grunt patch:<https://trac.../00000.diff>

(Replace the 00000 with the ticket number)

Apply .diff for testing

You can also use a github patch link for grunt:

grunt patch:<https://PR/URL/00000.diff>

You can also use a PR link for grunt:

grunt patch:<https://PR/URL/00000>

Feedback





Give Feedback

In Playground or locally, be sure to give feedback after testing a patch!

Most importantly, indicate if the patch fixes the issue for you.

There are templates to get you started if you're not sure what to say.

== Test Report
This report validates that the indicated patch addresses the issue.
Patch tested: REPLACE_WITH_PATCH_URL

=== Environment

- OS: macOS 12.3.1
- Web Server: Nginx
- PHP: 7.4.29
- WordPress: 6.0-RC1-53341-src
- Browser: Safari 15.4
- Theme: Twenty Twenty-Two
- Active Plugins:
 - Gutenberg 13.2.0
 - WordPress Beta Tester 3.2.1

=== Actual Results

- 🔽 Issue resolved with patch.

=== Additional Notes

- Any additional details worth mention.

```
=== Supplemental Artifacts
Add Inline: [[Image(REPLACE_WITH_IMAGE_URL)]]
Or
Add as Attachment
```


FSE Outreach Experiment Project

In 2020, experiment outreach project started to better connect those building with WordPress and upcoming features.

The program now encompases various hallway hangouts, calls for testing, and an outreach channel in slack.



Hallway Hangouts

Come together as WordPress users early in development to talk about new features to flush out concerns sooner, get more folks involved, and find ways to work better together in a video call open to anyone.



#outreach

A slack channel where non-contributors and contributors gather to discuss and test coming features. Beyond GitHub bug reports and PRs - a channel for site builders and extenders.



Developer Hours: A First Look at the Template Registration API in WordPress 6.7

This is just a reminder that the next Developer Hours session will be held next Tuesday, September 10th, at 15:00 UTC!

Looking forward to this one. Being able to register block templates from plugins with a dedicated API unlocks so many possibilities for WordPress extenders, and @greenshady will be sharing his explorations.

You can RSVP on Meetup 👉 https://www.meetup.com/learn-wordpress-online-workshops/events/303059268

Meetup

Developer Hours: A First Look at the Template Registration API in WordPress 6.7, Tue, Sep 10, 2024, 8:00 AM | Meetup

WordPress 6.7 will include a new template registration API, letting you register custom block templates in your plugins. This long-needed feature lets you create default fr (26 kB) •





Automated Testing

Automated Tests check that each component runs as it should.

Unit tests validate the expected behavior of isolated source code.

E2E (end to end) tests simulate a real user scenario and validate user flows.



JS Unit tests - QUnit

QUnit for Javascript testing

• Clone wordpress-develop

npm install

composer install

npm run build

Open //tests/qunit/index.html



	 ~
<u></u>	
× · · ·	<u> </u>

WordPress QUnit Test Suite

Hide passed tests Check for Globals No try-catch Filter: Go Module: All modules	2
QUnit 2.21.0; Mozilla/5.0 (Macintosh; Intel Mac OS X 10_15_7) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/128.0.0.0 Safari/537.36	
213 tests completed in 2750 milliseconds, with 0 failed, 0 skipped, and 0 todo. 514 assertions of 514 passed, 0 failed.	
1. wp-api-request: does not mutate original object (5) Rerun	1 ms
2. wp-api-request: does not add nonce header if already present (6) Rerun	0 ms
3. wp-api-request: does not add nonce header if ?_wpnonce= present (2) Rerun	0 ms
4. wp-api-request: does not add accept header if already present (1) Rerun	0 ms
5. wp-api-request: accepts namespace and endpoint (1) Rerun	0 ms
6. wp-api-request: accepts namespace and endpoint with slashes (1) Berun	0 ms
7. wp-api-request: accepts namespace and empty endpoint (1) Rerun	0 ms
8. wp-api-request: accepts empty namespace and empty endpoint (1) Rerun	0 ms
9. wp-api-request: accepts namespace and endpoint with slashes (plain permalinks) (1) Berun	0 ms

10. wp-11. wpa 12. Med 13. Med 14. Med 15. Ima 16. Ima 17. Ima 18. Galie

213 tests completed in 2750 milliseconds,with 0 failed, 0 skipped, and 0 todo.514 assertions of 514 passed, 0 failed.

19. Gallery Media Widget: gallery media model (9) Rerun

0 ms

18 ms

0 ms

0 ms

0 ms

3 ms

0 ms

```
QUnit.test( 'mismatched passwords should return 5', function( assert ) {
    assert.equal( passwordStrength( 'password1', 'username', 'password2' ), 5, 'mismatched passwords return 5' );
});
QUnit.test( 'passwords shorter than 4 characters should return 0', function( assert ) {
   assert.equal( passwordStrength( 'abc', 'username', 'abc' ), 0, 'short passwords return 0' );
});
QUnit.test( 'long complicated passwords should return 4', function( assert ) {
    var password = function( length ) {
        var i, n, retVal = '',
            possibility = 'abcdefqhijklnopgrstuvwxyzABCDEFGHIJKLMN0PQRSTUVWXYZ0123456789';
        for ( i = 0, n = possibility.length; i < length; i++ ) {</pre>
            retVal += possibility.charAt( Math.floor( Math.random() * n ) );
        return retVal + 'aB2'; // Add a lower case, uppercase and number just to make sure we always have one of each.
    twofifty = password( 250 );
```

assert.equal(passwordStrength(twofifty, 'username', twofifty), 4, '250 character complicated password returns 4');

});

PHP Unit Tests - PHPUnit

PHPUnit for PHP testing:

npm install

npm run build:dev

npm run env:start

npm run env:install

npm run test:php



	8319 / 2429	9 (349
	8378 / 2429	9 (349
www.www.www.www.www.www.www.www.www.ww	8437 / 2429	9 (349
	8496 / 2429	9 (349
	8555 / 2429	9 (35%
	8614 / 2429	9 (359
	8673 / 2429	9 (359
	8732 / 2429	9 (359
	8791 / 2429	9 (369
	8850 / 2429	9 i	369
	8909 / 2429	9 (369
	8968 / 2429	9 (369
	9027 / 2429	a i	379
	9086 / 2429	a i	379
	9145 / 2429	ai	379
	9204 / 2429	a i	379
	9263 / 2429		389
	0320 / 2429		309
	0301 / 2429		201
	9301 / 2429		201
	9440 / 2429	3	201
	9499 / 2429	a ;	39
***********	9558 / 2429	9 ;	39
	9617 / 2429	ai	39
	96/6 / 2429	a i	399
	9735 / 2429	a i	409
	9794 / 2429	9 (409
······································	9853 / 2429	9 (409
	9912 / 2429	9 (409
	9971 / 2429	9 (419
••••••••••••••••••••••••••••••••••••••	10030 / 2429	9 (419
	10089 / 2429	9 (419
	10148 / 2429	9 (419
	10207 / 2429	9 (429
	10266 / 2429	9 (429
	10325 / 2429	9 (429
	10384 / 2429	9 (429
	10443 / 2429	9 (429
	10502 / 2429	9 (439
	10561 / 2429	9 (43
	10620 / 2429	9 (439
	10679 / 2429	9 (439
	10738 / 2429	9 (449
	10797 / 2429	9 (449
	10856 / 2429	9 (449
	10915 / 2429	9 (449
	10974 / 2429	9 i	458
	11033 / 2420	ai	459

	21535	/ 24	299	()	38%)
	21594	/ 24	299	(8	38%)
	21653	/ 24	299	()	39%)
	21712	/ 24	299	()	39%)
	21771	/ 24	299	(8	39%)
	21830	/ 24	299	(8	39%)
	21889	/ 24	299	(9	90%)
	21948	/ 24	299	(9	90%)
	22007	/ 24	299	(9) 0%)
	22066	/ 24	299	(9	90%)
	22125	/ 24	299	(9	91%)
	22184	/ 24	299	(9	91%)
	22243	/ 24	299	(9	91%)
	22302	/ 24	299	(9	91%)
	22361	/ 24	299	(9	92%)
	22420	/ 24	299	(!	92%)
	22479	/ 24	299	(9	92%)
	22538	/ 24	299	(9	92%)
	22597	/ 24	299	(9	92%)
	22656	/ 24	299	9	93%)
	22/15	/ 24	299	1	33%)
	22774	/ 24	299	1	93%)
	22833	/ 24	299	1	33%)
	22892	/ 24	299		1 4%)
	22951	/ 24	299		94%)
	23010	/ 24	299		94%)
**********	23009	/ 24	299		94%)
	23128	/ 24	299		12-8)
	2318/	/ 24	299		12-8)
	23240	1 24	299		10~6) 150-1
	23303	/ 24	299		10%)
	23304	1 24	299	1	10-01
	23423	1 24	299		10-6) 26%)
	23402	1 24	299	1	160.0
	23341	/ 24	299	1	10~8) 17@1
	23000	/ 24	299		370.1
	23039	1 24	299	1	37%)
	23710	1 74	200	1	37%)
	23836	1 24	200	1	38%)
***************************************	23030	1 74	299	1	38%)
	23055	1 24	200	ì	188
	24013	1 74	200	1	38%)
	24013	1 74	200	1	20%)
	24131	1 74	299	1	99%)
	24190	1 24	299	i	99%)
	24249	1 24	299	i	99%)
	24299	/ 24	299	(10	00%)

Time: 04:06.270, Memory: 385.00 MB

There were 92 warnings:



/**

* Tests that an empty string is returned when the user does not have the correct capabilities.

* @ticket 61400

public function test_should_return_empty_string_without_proper_capabilities() {
 wp_set_current_user(self::\$user_id);

\$actual = wp_get_plugin_action_button(
 self::\$test_plugin->name,
 self::\$test_plugin,
 true,
 true

):

\$this->assertIsString(\$actual, 'A string should be returned.');
\$this->assertEmpty(\$actual, 'An empty string should be returned.');

End to End (e2e) Tests - Playwright

With e2e (end to end) tests we simulate a real user scenario and validate user flows. In concrete, running an e2e test involves setting up a production-like environment, opening a browser and interacting with the application as it was a real user manipulating the interface. WordPress e2e tests are written with Playwright.

- Clone wordpress-develop
- Setup and run the wordpress environment





⊗ → wordpress-develop git:(6.6.1) npm run test:e2e

> WordPress@6.6.1 test:e2e

> wp-scripts test-playwright --config tests/e2e/playwright.config.js

Running 24 tests using 1 worker

1 ... private directive present in cache control when user not logged in. (5.4s) 2 ...> Private directive header present in cache control when logged in. (381ms) 3 ...6 > Ouick Draft > Allows draft to be created with Title and Content (741ms) ...> Ouick Draft > Allows draft to be created without Title or Content (691ms)s > displays a message in the posts table when no posts are present (311ms) $6 \dots$ shows a single post after one is published with the correct title (2.0s) 7 ...t Posts > allows an existing post to be edited using the Edit button (2.6s) 8 ...lows an existing post to be quick edited using the Quick Edit button (2.2s) 9 ...Posts > allows an existing post to be deleted using the Trash button (2.2s) 10 ...rash-restore-trashed-posts.test.js:13:6 > Empty Trash > Empty Trash (2.45) 11 ...store-trashed-posts.test.js:33:6 > Empty Trash > Restore trash post (2.45) 12 js:33:6 > Fatal error handler > should display fatal error notice (111ms) 13 ...General > Does not allow saving an invalid timezone string with "" (617ms) 14 ...eneral > Does not allow saving an invalid timezone string with "0" (679ms) 15 ... Does not allow saving an invalid timezone string with "Barry/Gary" (845ms) 16 ... gutenberg-plugin.test.js:25:6 > Gutenberg plugin > should activate (1.5s) 17 [chromium] > hello.test.js:7:6 > Hello World > Should load properly (5.3s) 18 ...s \rightarrow should install WordPress with pre-existing database credentials (5.8s) 19 ...js:45:6 > Localize Script on wp-login.php > should localize script (238ms) 20 js:27:6 > Maintenance mode > should display maintenance mode page (109ms) Failed to load resource: the server responded with a status of 503 (Service Unavail able)

21 ...ons passwords > should correctly create a new application password (446ms)
 22 ... not allow to create two applications passwords with the same name (656ms)
 Failed to load resource: the server responded with a status of 409 (Conflict)
 23 ... passwords > should correctly revoke a single application password (540ms)
 24 ... passwords > should correctly revoke all the application passwords (530ms)

```
test.describe( 'Edit Posts', () => {
   test.beforeEach( async ( { requestUtils }) => {
      await requestUtils.deleteAllPosts();
   }
}
```

});

test('displays a message in the posts table when no posts are present',async ({
 admin,

```
page,
) => {
  await admin.visitAdminPage( '/edit.php' );
  await expect(
      page.getByRole( 'cell', { name: 'No posts found.' } )
  ).toBeVisible();
}
```

```
});
```

- test('shows a single post after one is published with the correct title',async ({
 admin,
 editor,
 page,
 -) => {

conct title - Tect Title!

End to End (e2e) Tests - Playwright

• Or watch the tests run

npm run test:e2e -- --ui



	😻 PLAYWRIGHT 🛛 🕚 🖸	500ms	1.0s	1.5s	2.0s	2.5s	3.0s	3
	> Filter (e.g. text, @tag)			Test Title		Test Title		
	Status: all Projects: chromium							
	0/1 passed (0%) 🛛 🔿 🗗	Actions Metadata	Action Before After					2
	✓ cache-control-headers-directives.test.js	✓ Passed 3.3s	hite//feesiles) nation and it			-
	 ✓ Cache Control header directives ✓ No private directive present i 4.1s 	> Before Hooks 113ms page.goto wp-admin/po 710ms	 WordPress Develop Dashboard 	● 1 ♥ 0 + New View Post		🖉 Test Title 🛛 🕮 K	Howdy, admir	
	✓ Private directive header pr 518ms	page.content 87ms	📌 Posts 🔸				Post Block >	
	 ✓ dashboard.test.js ✓ ✓ Quick Draft ✓ Allows draft to be created 728ms 	page.waitForFunction 235ms page.evaluate 42ms locator.isVisible.getByRol 14ms	All Posts Add New Post Categories Tags	Test	Title		Z Test Title :	1
	 ✓ Allows draft to be created 760ms ✓ ✓ edit-posts.test.js 	locator.isVisible getByRole('r 95ms	 Generation Genetion Genetion Generation	Territori			Add an excerpt Last edited a second ago. Status Published	
	 ✓ Edit Posts ✓ displays a message in the 409ms ✓ shows a single post after one 2.4s 	page.click locator('role=r 50ms locator.waitFor getByRole 87ms page.goto wp-admin/edi 167ms	I Appearance I Plugins ▲ Users I Tools	Type / to choose a b	NOCK	-	Publish September 5, 2024 8:55 pm WEST Link /test-title Author admin	
	 ✓ allows an existing post to b ▷ ① ✓ allows an existing post to be 2.4s ✓ allows an existing post to be 3.0s ✓ empty-trash-restore-trashed-posts.test 	page.content 4ms expect.toBeVisible getBy 14ms locator.click getByRole(' 126ms	 Settings Collapse menu 				Discussion Open Format Standard Sticky Categories ~	_
-	> ✓ Empty Trash	locator.waitFor frameLo 631ms		Past			Tags ~	-
	> V Fatal error handler	Locator Source Call Log Error	s Console 5 Networ	k 412 Attachments				
Ì	 ✓ general-settings-invalid-timezone.test.js ✓ Settings -> General ✓ gutenberg-plugin.test.js 	edri-posts.test.js 66 67 // Expect title f 68 await expect(edi 69 await expect(edi	<pre>ield to be in the torPostTitle).to torPostTitle).to</pre>	editor with correct BeVisible(); HaveText(title):	t title shown.			
	 ✓ Gutenberg plugin ✓ should activate ✓ hello.test.js ✓ Hello.World 	70 }); 71 72 test('allows an exis 73 admin, 74 editor,	ting post to be q	uick edited using th	he Quick Edit b	utton', async ({		1



Testing for Web Accessibility

One in four people in the United States has a disability.

Technology built with accessibility in mind makes things easier.

WordPress tests against the WCAG 2.1 AA guidelines.



A11y

Four principles:

1. Perceivable

Is all content available to everyone?

2. **Operable**

Can visitors use all functionality?

3. Understandable

Can visitors comprehend all content?

4. Robust

Can visitors use any device?

- Keyboard Navigation
- Color Contrast
- Screen Reader Compatibility
- Image alt text



A11y: Get Involved

WordPress Accessibility Day 2024

October 9th-10th - Free Livestream

Accessibility Handbook | Gutenberg

#accessibility #accessibility-testing

Trac tickets with accessibility focus

Github tickets with <u>Needs Accessibility</u> <u>Feedback</u> or <u>[Focus] Accessibility (a11y)</u> labels.



A11y: Resources

aXe browser addon for Chrome and FireFox

				Dashboard	×	+			
e dit Post "Hell	o World* < Won × +	vost.php?post=79&action=edit	ίκ Lα Elements Console Sor	the first section for the first section of the fir	start new	idmin/ lew ate now,	Howdy, admin Screen Options * Help *	R D Elements Console Sources Network	수 ① 팩 @ Ferformance ## Performance
		Hello World XK ✓ Saved □ Pablish □ D	Dev 1001S are-core 4.70.0 Overview	Guided	Tests B Save Test	~ . [Dev Tools ###escare 4 700 Overview Test Name	Sign_up / Sign_in start new scan
Search TEXT	Media X	Hello World	Test Name Test URL http://iocalhost.8889/xmr.admin/roor TOTAL ISSUES Autom Guider	nst.php?post=79&action=edit natic tissues d issues	C Re-run scan	cally ut II pur	WordPress Events and News <th< th=""><th>Test URL http://localhost.8889/we-admin/ TOTAL ISSUES Automatic Insues Guided Insues Guided Insues</th><th>C Remains</th></th<>	Test URL http://localhost.8889/we-admin/ TOTAL ISSUES Automatic Insues Guided Insues Guided Insues	C Remains
¶ Raragraph Head	ing List	Welcome to WordPress. This is your first pool and delete it, then start writing!	Best Practices: 2M (WCA)	Practice 0 Serious cal. 0 Serious derate 1 Minor.	1 0 0	4	Meetup Group - reunescay, Sep 11, September 202 2024 Meetup - Atlanta, GE, USA 7:00 pm EDT Galansaville WordPress Thursday, Sep 12, Menthy Meetup - 2024 Optimizining and 2024 Optimizining 12:00 pm EDT WienChimme Meetup - Meetup - Online Meetup -	Best Practice Critical Moderate (Best Practices: 08) (WCAG 21AA)	0 Serfox. 2 0 Minor \$
Preformatted Pull	auote Table		Total Issues: 1 All page content should	I be contained by landmarks	1 ,	Word WP Br	Book Club Discussion: Friday, Sep 20, 2024 "Supercommunicators" 9:30 am EDT (Virtual, free) Meetup - Online Camp US 2024: Oregon-a See You There? riefing: Episode 85: WordPress in Education	Elements must meet minimum color contrast ratio threads Links must be distinguishable without relying on color o repagnet of State Inco.	olda 1 ,
Verse C MEDIA Image	Gallery Audio					WPTat NordP o The ust, a PTave auit tups	vern: 1935 – Jonathan Bossenger on Enhansing Yeas Learning Experiences I Woo Community: Inclusivity, Community and Fair Pay with Megan Rose and Mike Contey and Fair Pay with Megan Rose and Mike Contey Theme, APIs, and Media Enhancements Theme, APIs, and Media Enhancements	Ensure links are distinguished from surrounding text in a winner information (2) Demons Location: af_aria-Label=*fdit *Text Title*') Ca hete=http://locathest.8889/wp-adds/post.php?port aft *Text Title*'/a To solve this problem, you need to fix at least (1) of the follow To solve this problem.you need to fix at least (1) of the follow	y that does not rely on color

Opportunities to Test WordPress

- 1. Testing Releases
- 2. Testing Issues
- 3. Usability Testing
- 4. Automated Tests
- 5. Accessibility Testing



WordPress Wants You to Contribute via Testing





Questions?

Talk Notes: <u>https://evanmullins.com/test/</u>













